

# The “art of trellis decoding” is fixed-parameter tractable

Dr. Eun Jung Kim  
Texas A & M University

Wednesday, 20th of July, 2016, 2:00 p.m., room TEL 716

Given  $n$  subspaces of a finite-dimensional vector space over a fixed finite field  $F$ , we wish to find a linear layout  $V_1; V_2; \dots; V_n$  of the subspaces such that  $\dim((V_1 + V_2 + \dots + V_i) \cap (V_{i+1} + \dots + V_n)) \leq k$  for all  $i$ ; such a linear layout is said to have width at most  $k$ . When restricted to 1-dimensional subspaces, this problem is equivalent to computing the trellis-width (or minimum trellis state-complexity) of a linear code in coding theory and computing the path-width of an  $F$ -represented matroid in matroid theory.

We present a fixed-parameter tractable algorithm to construct a linear layout of width at most  $k$ , if it exists, for input subspaces of a finite-dimensional vector space over  $F$ . As corollaries, we obtain a fixed-parameter tractable algorithm to produce a path-decomposition of width at most  $k$  for an input  $F$ -represented matroid of path-width at most  $k$ , and a fixed-parameter tractable algorithm to find a linear rank-decomposition of width at most  $k$  for an input graph of linear rank-width at most  $k$ . In both corollaries, no such algorithms were known previously. Our approach is based on dynamic programming combined with the idea developed by Bodlaender and Kloks (1996) for their work on path-width and tree-width of graphs. It was previously known that a fixed-parameter tractable algorithm exists for the decision version of the problem for matroid path-width; a theorem by Geelen, Gerards, and Whittle (2002) implies that for each fixed finite field  $F$ , there are finitely many forbidden  $F$ -representable minors for the class of matroids of path-width at most  $k$ . An algorithm by Hlineny (2006) can detect a minor in an input  $F$ -represented matroid of bounded branch-width. However, this indirect approach would not produce an actual path-decomposition. Our algorithm is the first one to construct such a path-decomposition and does not depend on the finiteness of forbidden minors.